

## **K-9 BSD-2 Wall adapter Kit use with Kong, Ball or Tug**



### **Benefits**

**Ease of training initial sit in “green dogs” by putting dog in more naturally offered position.**

**Use a variety of rewards such as Kong, ball, and longer reward items such as tugs or towels.**

**A variety of different adapters available to accommodate most training aids**

**Confined and concentrated odor source that is easily moved through out wall with out contamination.**

**Allows use of PVC tubes currently furnished with K-9 BSD-2 kit, creating a visually consistent odor source and extinction training of non target odor.**



**Device is moved through out wall with the odor source adapter.**

**Device can be cocked and reward item loaded with current push tube.**

**Ball & Kong use same odor source adapters.**

**Tug and towel users should furnish info on desired size so that proper adapter is supplied.**

*Note: Kit is furnished with plastic rivet that requires drilling a ¼" hole.  
1.75 inches from top of bore on 6" barrel or 1.25 with 5.50" barrel length.  
Positions the Kong level for consistent delivery & hold ball from roll out.*

*Kong use requires the newer 6" barrel length current device can be upgraded for minimal fee plus shipping.*



Equipped with brass inserts and set screws to lock on wall mount. This allows cocking and reward loading from front of wall. Removing of odor source tube and capping for storage eliminates risk of contamination by handling. A perfect match with the new XScent™. Explosives training aids.

Different size adapters available to hold longer or larger training aids. Contact: [info@k-9bsd.com](mailto:info@k-9bsd.com) or phone 715-864-3327 for desired requirements.



Only the outer wall mount remains when device is moved through out wall.



Standard BSD-2 kit adapter for holding matching reward item in place.

## **K-9 BSD-2 wall kit furnished components**

4- Wall mounts fittings

1- Device target odor adapter pre-cut and screw inserts installed

3- PVC tube adapters with preinstalled insert & set screws

24-stainless steel mounting screws

2- Device rivets.

Recommended wall thickness 1/2" or 5/8" plywood

Cut adapter hole with 4.5" hole saw

Hole height from floor 42" for average size dog.

*( 6 inches plus above dog during initial training)*

Test delivery several times and adjust device delivery if needed.

Pricing 129.00

Shipping 25.00

Contact [dan@k-9bsd.com](mailto:dan@k-9bsd.com) Or phone 715-864-3327

*For additional info or special requirements.*